

KILBY SHAKER

102" LEGAL LOAD



KILBY MFG.



286 W Evans Reimer Road
Gridley, CA. 95948
530-846-5625 FAX:530-846-2931
kilbymfg@hotmail.com
www.kilbymfg.com

KILBY 24' 3 Wheel Shaker

SPECIFICATIONS AND FEATURES

John Deere 4045 Diesel Engine
3 Wheel Drive, Single Speed Motors
Spring Applied, Hydraulic Released Parking Breaks
Commercial Hydraulic Pump - Open Center System
Gresen Control Valves
Flotation Tires 31 x 15.5 x 15
Single Motor Shaker Head - Fixed Arm - Automatically Centers
Head Brake - Shaker Carriage on UHMW Slide Box Frame
Fixed Tree Seals
Hydraulic Fruit Retainer
Water - Silicone Injection System
Power Steering and Cable Actuated Throttle,
Cable Ground Drive Control

OPTIONS

2 Speed Wheel Motors
Hydraulic - Foot Pedals - Ground Drive
Hillside Deflectors
Hydraulic Tree Seals
Lower Decks to 30'
Decks with Cutouts for Close Plantings
Joystick Control



KILBY MFG INC.

286 WEST EVANS REIMER ROAD, GRIDLEY, CA. 95948
Office 530-846-5625 ~ Fax 530-846-2931
www.kilbymfg.com

KILBY SHAKER - 3 WHEEL MODEL 24' STANDARD

Specifications and Features

John Deere 4045-D Diesel Engine
3 Wheel Drive, Single Speed Motors
Spring Applied, Hydraulic Released Parking Breaks
Commercial Hydraulic Pump - Open Center System
Gresen Control Valves
Flotation Tires 31 x 15.5 x 15
Single Motor Shaker Head - Fixed Arm - Automatically Centers
Head Brake - Shaker Carriage on UHMW Slide Box Frame
Fixed Tree Seals
Hydraulic Fruit Retainer
Water - Silicone Injection System
Power Steering and Cable Actuated Throttle,
Cable Ground Drive Control

Options

2 Speed Wheel Motors
Hydraulic - Foot Pedals - Ground Drive
Hillside Deflectors
Hydraulic Tree Seals
Lower Decks to 30'
Decks with Cutouts for Close Plantings